

Revision Date 09-Aug-2024

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 17

1. IDENTIFICATION

Product identifier Product Name

PX BLUE THREADLOCKER 36 ML.

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseAdhesiveUses advised againstNo information available

24240

Details of the supplier of the safety data sheet

Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 May Also Be Distributed by: **ITW Permatex Canada** 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

2. HAZARDS IDENTIFICATION

Classification


OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Not applicable

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
ETHYLENE GLYCOL	107-21-1	2.5 - <5%

CUMENE HYDROPEROXIDE	80-15-9	1 - <2.5%	
TITANIUM DIOXIDE	13463-67-7	0.1 - <0.5%	
CUMENE	98-82-8	0.1 - <0.5%	
	4. FIRST AID MEASURES		
Description of first aid measures			
General advice	If symptoms persist, call a physician.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.		
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
<u>Suitable extinguishing media</u> Use, Use dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam			
None			
Hazardous combustion product	s No information available.		
Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.			

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.

Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.	
Incompatible materials	Strong oxidizing agents, Peroxides, Reducing agents	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
ETHYLENE GLYCOL	TWA: 25 ppm vapor fraction	(vacated) Ceiling: 50 ppm	-
107-21-1	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 125 mg/m ³	
	STEL: 10 mg/m ³ inhalable		
	particulate matter, aerosol only		
TITANIUM DIOXIDE	TWA: 0.2 mg/m ³ nanoscale	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total dust	TWA: 2.4 mg/m ³ CIB 63 fine
	TWA: 2.5 mg/m ³ finescale		TWA: 0.3 mg/m ³ CIB 63 ultrafine,
	respirable particulate matter		including engineered nanoscale
CUMENE	TWA: 5 ppm	TWA: 50 ppm	IDLH: 900 ppm
98-82-8		TWA: 245 mg/m ³	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 245 mg/m ³
		(vacated) TWA: 245 mg/m ³	
		(vacated) Sk*	
		Sk*	

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations

Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical	and chemical properties	
Physical state	Liquid	
Appearance	Blue	
Odor	Mild	
Color	Blue	
Odor threshold	No information available	
-		-
Property	<u>Values</u>	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	> 200 °C / > 392 °F	
Flash point	131 °C / 267.8 °F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	1.01	
Water solubility	Immiscible in water	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Hyphen	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	1,100 mPas @20°C (68°F)	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other information		
Softening point	No information available	
Molecular weight	No information available	
VOC content	<3%	
Density	No information available	
Bulk density	No information available	
SADT (self-accelerating	No information available	
decomposition temperature)		
· · · · · · · · · · · · · · · · · · ·		

10. STABILITY AND REACTIVITY

<u>Reactivity</u> No information available

No Data Available

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

No information available.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Peroxides, Reducing agents

Hazardous decomposition products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure if inhaled.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ETHYLENE GLYCOL	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat)6 h
107-21-1			
CUMENE HYDROPEROXIDE	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h
80-15-9			
TITANIUM DIOXIDE	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat)4 h
13463-67-7			
CUMENE	= 1400 mg/kg (Rat)	= 12300 µL/kg (Rabbit)	> 3577 ppm (Rat) 6 h
98-82-8			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No informatio	on available.		
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table bel	ow indicates whether each	agency has listed any ing	redient as a carcinogen.
Chemical name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE	A3	Group 2B	-	Х
13463-67-7				
CUMENE	A3	Group 2B	Reasonably Anticipated	Х
98-82-8				
	ency for Research on Cance	r)		

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Occupational Safety and Health Administration of the US Department of Labor X - Present

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	9708 mg/kg
ATEmix (dermal)	48152 mg/kg
ATEmix (inhalation-dust/mist)	21.2 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

Bioaccumulation

There is no data for this product.

Mobility

No information available.

Chemical name	Partition coefficient
ETHYLENE GLYCOL 107-21-1	-1.36
CUMENE HYDROPEROXIDE 80-15-9	1.6
CUMENE 98-82-8	3.55

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status		
CUMENE HYDROPEROXIDE	Toxic		
80-15-9	Ignitable		
CUMENE	Toxic		
98-82-8	Ignitable		

14. TRANSPORT INFORMATION

DOT

Proper shipping name

Not regulated

<u>IATA</u>

UN proper shipping name Not regulated

IMDG

UN proper shipping name Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Sudden release of pressure hazard

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %		
ETHYLENE GLYCOL - 107-21-1	1.0		
CUMENE HYDROPEROXIDE - 80-15-9	1.0		
CUMENE - 98-82-8	0.1		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	No		
Fire hazard	No		

No

No

Reactive Hazard CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
ETHYLENE GLYCOL 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
CUMENE HYDROPEROXIDE 80-15-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ
CUMENE	5000 lb	-	RQ 5000 lb final RQ

Personal protection B

98-82-8		RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
ETHYLENE GLYCOL	Developmental
107-21-1	
TITANIUM DIOXIDE	*Carcinogen (airborne, unbound particles of respirable size)
13463-67-7	
CUMENE	Carcinogen
98-82-8	

• *The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
ETHYLENE GLYCOL	Х	Х	Х
107-21-1			
CUMENE HYDROPEROXIDE	Х	Х	Х
80-15-9			
SACCHARIN	Х	Х	Х
81-07-2			
PROPYLENE GLYCOL	Х	-	Х
57-55-6			
TITANIUM DIOXIDE	Х	Х	Х
13463-67-7			
CUMENE	Х	Х	Х
98-82-8			
1,4-NAPHTHOQUINONE	Х	Х	Х
130-15-4			
2-BUTOXYETHANOL	Х	Х	Х
111-76-2			

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammabilit	/ 1	Instability 0
HMIS	Health hazards 2	Flammabilit	/ 1	Physical hazards 0

Revision Date 09-Aug-2024

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is usedin combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet